Appendix C: Relative Land Cover Loadings

DRAFT

January 2007

Prepared for.
USEPA Region 9
Hawai'i Department of Health

Prepared by:
Tetra Tech, Inc.
1230 Columbia Street, Suite 520
San Diego, California 92101

Introduction

The charts presented below illustrate the relative pollutant loads by land cover type (i.e. load for Land Cover A divided by the watershed-wide load) for the Hanalei River, Waioli, Waipa, and Waikoko watersheds. These loadings are based on LSPC model output by pollutant for existing conditions in each watershed (see Appendix B for a detailed discussion of the modeling approach and results). The land cover data were obtained from the National Oceanic and Atmospheric Administration (NOAA) Coastal Change Analysis Program (C-CAP) land cover image from a remote sensing study in 2000 (NOAA, 2000).




Figure C-1. Relative ammonia land cover loadings for the Hanalei River watershed




Figure C-2. Relative ammonia land cover loadings for the Waioli watershed




Figure C-3. Relative ammonia land cover loadings for the Waipa watershed




Figure C-4. Relative ammonia land cover loadings for the Waikoko watershed




Figure C-5. Relative nitrate plus nitrite land cover loadings for the Hanalei River watershed




Figure C-6. Relative nitrate plus nitrite land cover loadings for the Waioli watershed




Figure C-7. Relative nitrate plus nitrite land cover loadings for the Waipa watershed




Figure C-8. Relative nitrate plus nitrite land cover loadings for the Waikoko watershed




Figure C-9. Relative total nitrogen land cover loadings for the Hanalei River watershed




Figure C-10. Relative total nitrogen land cover loadings for the Waioli watershed




Figure C-11. Relative total nitrogen land cover loadings for the Waipa watershed




Figure C-12. Relative total nitrogen land cover loadings for the Waikoko watershed




Figure C-13. Relative total phosphorus land cover loadings for the Hanalei River watershed




Figure C-14. Relative total phosphorus land cover loadings for the Waioli watershed




Figure C-15. Relative total phosphorus land cover loadings for the Waipa watershed




Figure C-16. Relative total phosphorus land cover loadings for the Waikoko watershed




Figure C-17. Relative enterococci land cover loadings for the Hanalei River watershed




Figure C-18. Relative enterococci land cover loadings for the Waioli watershed




Figure C-19. Relative enterococci land cover loadings for the Waipa watershed




Figure C-20. Relative enterococci land cover loadings for the Waikoko watershed




Figure C-21. Relative total suspended solids/turbidity land cover loadings for the Hanalei River watershed




Figure C-22. Relative total suspended solids/turbidity land cover loadings for the Waioli watershed




Figure C-23. Relative total suspended solids/turbidity land cover loadings for the Waipa watershed




Figure C-24. Relative total suspended solids/turbidity land cover loadings for the Waikoko watershed